



**Central
Diesel**

The Engine, Pump & Power Co.

Product Specification


Central Diesel provides these specifications as a courtesy and are a guide only. They have been sourced from the manufacturer and may change without notice. Central Diesel accepts no responsibility for any errors or omissions.



M 2011
The genset engine
12 - 60 kVA

These are the characteristics of the M 2011:

- 2-, 3- and 4-cylinder naturally aspirated in-line engines.
- 4 cylinder model also with turbocharging.
- Displacement: 0.78 l /cylinder.
- Fully oil-cooled (engine with conventional cooling system).
- Acoustically optimized crankcase.
- All service points on the same engine side.
- Electronic engine governor (option).
- Compact design and low weight.
- Worldwide service network with over 1,000 locations.



[Partner Search](#)

[Data Sheet in PDF-Format](#)

≤ Searchresult **26** from **43** Engines ≥



PRODUCT SEARCH	<input checked="" type="checkbox"/> All Products
Market Segments	<input type="checkbox"/> Mobile Machinery <input type="checkbox"/> Gen Sets <input type="checkbox"/> Agricultural Machinery <input type="checkbox"/> Automotive <input type="checkbox"/> Marine
Power range kW/hp	<input type="checkbox"/> 0-50 / 0-67 <input type="checkbox"/> 50-100 / 67 - 134 <input type="checkbox"/> 100-500 / 134-670 <input type="checkbox"/> 500-1.000 / 670-1.341
Cooling	<input type="checkbox"/> Air-cooling <input type="checkbox"/> Water-cooling <input type="checkbox"/> Oil-cooling

[Back to Selection](#)

[Back to Overview](#)